SAF-T-LOK

International Corporation

Material Safety Data Sheet

T70

Issue Date: 10/20/16

SECTION I - PRODUCT AND COMPANY INFORMATION

Product Name: Product Type: Part Numbers: Hazard Rating: T70Threadlocker Anaerobic Adhesive/ Sealant **27002/ 27021/27031/27041/ 27043/155-0695/154-9731** Health: 1 Fire: 1 Reactivity: 0

Company Identification:

Contact: Telephone/ Fax: Emergency Phone (24 Hour): Chemtrec (24 Hour): Preparer: Internet:

Product Class: DOT Hazard Class: Shipping Name: SAF-T-LOK International Corporation 300 EISENHOWER LANE NORTH LOMBARD, IL 60148 Helen Champagne (630) 495-2001 (703) 527-3887 (800) 424-9300 Ind. Hygiene Department www.saftlok.com Mixture

N/A Unrestricted

| SECTION II - INGREDIENT AND HAZARD INFORMATION | | |
|--|------------|---------|
| Components | CAS# | Percent |
| Polyglycol dimethacrylate | 109-16-0 | 40-70 |
| Bis-phenol A fumerate resin | 39921-03-4 | 20-40 |
| Saccharin | 81-07-2 | 1-5 |
| Cumene hydroperoxide | 80-15-9 | 0.1-5 |

SECTION III - HAZARD IDENTIFICATION AND EMERGENCY OVERVIEW

EMERGENCY OVERVIEW

| Physical appearance: | Liquid | <u>HMIS</u> | |
|----------------------|--------------------|----------------------|---|
| Physical color: | Red | Health: | 1 |
| Odor: | Mild / Inoffensive | Flammability: | 1 |
| | | Reactivity: | 0 |
| | | Personal Protection: | В |
| WARNING; | MAY CAUSE: | | |
| | | SKIN IRRITATION | |

RESPIRATORY TRACT IRRITATION MAY IRRITATE EXISTING ALLERGIC SKIN CONDITIONS

Relative routes of entry: Skin, Inhalation, Eyes, Ingestion

Skin Contact: Usually no effect, however, as with any chemical, prolonged, excessive, or repeated exposure may cause mild to moderate skin irritation, exhibited by redness, drying and cracking of unprotected skin.

Eye Contact: May irritate with slight pain and redness.

Respiratory/ Inhalation: Usually none, however, as with any chemical product, some irritation may occur.

Ingestion: Amounts transferred to mouth by fingers, etc, during normal operation should not cause injury.

Medical conditions generally aggravated by exposure: None known, however any chemical product may enhance allergies already present in certain individuals.

SECTION IV – FIRST AID INSTRUCTIONS

Skin Contact: Remove contaminated clothing. Wash affected area with soap and rinse with plenty of water. Get medical attention if symptoms occur. Wash clothing before reuse.

Eye Contact: Flush with water for at least 15 minutes holding eyelid open. Get medical attention if symptoms persist.

Respiratory / Inhalation: Remove to fresh air, if symptoms develop get medical attention.

Ingestion: Do not induce vomiting. Obtain medical attention if symptoms develop.

SECTION V – FIRE FIGHTING INSTRUCTIONS

Flash Point: Unusual Fire and Explosion Hazards: Flammable Limits: Extinguishing Media: Fire Fighting Procedures:

96°C (T.C.C.) None LEL: N/A, UEL: N/A Carbon Dioxide, Foam, Dry Chemicals Air mask and procedures for fighting chemical fires

SECTION VI -ACCIDENTAL RELEASE MEASURES

| Special Precautions: | None known. Follow general precautions shown below. |
|----------------------------|---|
| Environmental precautions: | Prevent material from entering floor drains, sewers, or any bodies of water. |
| Clean up methods: | Scoop up into waste container or soak up with absorbent material. Store in a closed container until disposal. |

SECTION VII - HANDLING AND STORAGE

| Handling: | Avoid contact with eyes, skin, and clothing. Avoid breathing vapors. Wash hands thoroughly at mealtime and end of shift. |
|----------------------|--|
| Storage: | Store in a cool location (60-90°F) in a well ventilated area away from sources of heat. Keep container tightly closed when not in use. |
| Personal Protection: | Wear personal protective equipment as outlined in Section VIII of this MSDS. |

SECTION VIII - EXPOSURE CONTROLS AND PERSONAL PROTECTION

Respiratory Protection: No respiratory protection required, but normal good ventilation is recommended. Forced ventilation may be required if concentrations exceed normal use exposure.

| Skin Protection: | Use impermeable gloves (neoprene, butyl rubber, natural rubber), as necessary to avoid skin contact, as well as proper clothing or plastic apron. Wash hands before eating, drinking, or using restroom. |
|------------------|---|
| Eye Protection: | Safety goggles or glasses are recommended. |
| Eye Washes: | Eye wash stations should be located within 100 feet or 10 second walk of the work area. |

SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES

SECTION X -STABILITY AND REACTIVITY

| Stability: | Stable |
|-------------------------------------|--------------------------------------|
| Hazardous Polymerization: | Will not occur |
| Hazardous decomposition byproducts: | Oxides of carbon, Oxides of nitrogen |
| Incompatibility: | Reducing agents. Strong Oxidizers |

SECTION XI – TOXICOLOGICAL INFORMATION

| Product Toxicity: | Estimated oral LD50 greater than 10,000 mg/kg. Estimated dermal LD50 greater than 5000 mg/kg. |
|-------------------|--|
| | |

| Ingredients: | <u>Health</u> | Effect | | | Carcin <u>NTP</u> | logen St IARC | atus <u>OSHA</u> |
|--|----------------------|-----------------|----------|-----|----------------------|------------------|---------------------|
| Polyglycol Dimethacrylate Saccharin Cumene Hydroperoxide | ALG N/A COR, J | IRR ALG, IRR | | | NO NO NO | NO NO NO | NO NO NO |
| Abbreviations: | ALG | Allergen IRR | Irritant | COR | Corro | osive | |

SECTION XII – ECOLOGICAL DATA

Water Hazard:

Do not allow entry into drains or surface water

SECTION XIII – DISPOSAL CONSIDERATIONS

| Recommended method of disposal: | Unused product: Dispose of according to Federal, State and local regulations. |
|---------------------------------|---|
| EPA Hazardous Waste Number; | Not an RCRA hazardous waste. |

SECTION XIV – SHIPPING AND TRANSPORTATION INFORMATION

| U.S. Department of Transportation Ground (Proper Shipping Name: Hazard Class or Division: Identification Number: Packing Group: | 49 CFR) Unrestricted None None None |
|--|---|
| International Air Transportation (OCAO/IATA | A): |
| Proper Shipping Name: | Unrestricted |
| Hazard Class or Division: | None |
| Identification Number: | None |
| Packing Group: | None |
| Water Transportation (IMO/IMDG): | |
| Proper Shipping Name: | Unrestricted |
| Hazard Class or Division: | None |
| Identification Number: | None |
| Packing Group: | None |
| Marine Pollutant: | None |

SECTION XV - REGULATORY INFORMATION

| United States Regulatory Information TSCA 8 (b) Inventory Status: | All components are listed or are exempt from listing on the Toxic Substances Control Act Inventory. |
|--|--|
| CERCLA/SARA Section 311/312: | This product contains the following toxic chemical subject to the reporting requirements of section 313 of the Emergency Planning and Community Right- To-Know Act of 1986 (40 CFR): Cumene hydroperoxide. |
| California Proposition 65: | No California Proposition 65 listed chemicals are known to be present. |
| Canada Regulatory Information CEPA DSL/NDSL Status: WHMIS hazard class | All components are listed on or are exempt from listing on the Domestic Substances List. D.2.B |

SECTION XVI – OTHER INFORMATION

Revision date: 10/20/16 By: Human Resource Department

DISCLAIMER: The information on this material safety data sheet represents our current data and best opinion as to the proper use in handling of this product under normal conditions. Any use of the product which is not in conformance with this data sheet or which involves using the product in combination with any other product or any other process is the responsibility of the user. SAF-T-LOK International Corporation specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of SAF-T-LOK International Corporation products.