

Product : 5079 PTFE & Graphite & para-aramid corners

Date Prepared : May 5th, 2017

#### Section 1 - Product and Company Identification

Product Name/Identifier : 5079 PTFE & Graphite & para-aramid corners Other name / Synonym : Company Information : Robco Inc. Address : 7200 St.Patrick, LaSalle QC Canada H8N 2W7 Telephone : 514-367-2252 Email : info@robco.com Website : www.robco.com

#### Section 2 - Hazards identification

#### **CLASSIFICATION OF THE PRODUCT**

Product is not classified as dangerous according to guideline 199/45/EG or regulation *EC*/1272/2008

#### LABELS ELEMENTS

Labelling according to *EC/1272/2008* (substances)and *1999/45/EC* (preparations) **GENERAL INFORMATION** 

Low risk: Product can only form ignitable mixtures or burn if it is heated or exposed to open flame at temperatures above the flash point.

#### OVERHEATING

Incorrect processing of PTFE above  $325^{\circ}C$  ( $620^{\circ}F$ ) can lead to the formation of low molecular decomposition products. It is therefore important to prevent overheating of molten material (see section 10)

#### FIRE HAZARD

Toxic gases are produced during burning (see section 10)

#### SPARKING

No risk of electrostatic charging

#### DANGER OF SLIPPING

Films or PTFE waste lying on the floor can cause a danger of slipping.

#### Section 3 - Composition/information on ingredients

#### CHEMICAL CHARACTERIZATION

Flexible laminate of following composition:

Laminate	Remarks	CAS-No	Amount	Classification accore	ding
				EC/1272/2008	
				Hazard	Hazard
				classes/categories	Statement
PFTE		9002-84-0			

FORM : Solid, flexible COLOUR : Braided, grey-yellow rope ODOUR : no significant smell HAZARDOUS INGREDIENTS : None



#### Section 4 - First aid measures

#### INHALATION

Inhalation of fumes if product exposed to extreme temperatures: Remove patient from exposure, keep warm and at rest. Use suitable respiratory protection measures. If breathing is irregular or if it has stopped, proceed with artificial respiration. Obtain medical attention.

#### EYE CONTACT

This product is an inert solid. In case particles come into the eye, remove by irrigating with eye wash solution or clean water, holding the eyelids apart. Obtain medical attention.

#### **SKIN CONTACT**

With hot product: Cool the affected areas with plenty of cold water. Cover with a clean cloth or sterile gauze and call for medical help. Do not try to remove the product from the skin or remove soiled clothing as this may cause the injured skin tissue to be torn off.

#### INGESTION

First aid is normally not necessary.

#### MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED None known

# INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED

in case of unconsciousness: emergency call

#### Section 5 - Firefighting measures

#### EXTINGUISHING MEDIA

Water Foam Dry powder

Carbon dioxide

#### SPECIAL HAZARDS ARISING FROM THE PRODUCT

Combustion or thermal decomposition will involve toxic and corrosive vapours:

Carbon monoxide (CO) Hydrogenfluorid Carbonyl fluoride Tetrafluoroethylene Hexafluoropropylene

Perfluoroisobutene

#### **ADVICE FOR FIREFIGHTERS**

In the presence of combustion or carbonisation gases, any fire fighting, rescue and clearing up activities should be undertaken only with heavy-duty respiratory and eye protection equipment (see also sections 3,8 and 10).

#### Section 6 - Accidental release measures

# PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

No special measures required Seek expert advice when disposing of collected material.



Caution when running over films on the floor. Danger of slipping.

#### ENVIRONMENTAL PRECAUTIONS

Observe to the legal requirements for waste disposal

#### METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP

Collect the product in suitable containers and either recycle or dispose of.

#### REFERENCE TO OTHER SECTIONS

see also section 3, 8, 10

#### Section 7 - Handling and storage

#### PRECAUTIONS FOR SAFE HANDLING

General Hygienic Measures

#### CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES TECHNICAL MEASURES AND STORAGE CONDITIONS

RISK OF ELECTROSTATIC CHARGING : Taking measures against HANDLING : Avoid contact with naked flames and hot surfaces as irritant and toxic decomposition products can be formed.

SAFE STORAGE: Storage on pallets in dry, enclosed rooms with solid foundation. Stack products in cardboard boxes up to a maximum height of

### FURTHER INFORMATION ON STORAGE CONDITIONS

STORAGE TEMPERATURE : Ambient temperature

STORAGE AND TRANSPORT PRESSURE : Atmospheric

#### SPECIFIC END USES

TRANSPORT TEMPERATURE : Ambient temperature, no special requirement for cold weather

LOADING AND UNLOADING TEMPERATURE : Ambient temperature NORMAL FORM OF TRANSPORTATION : Pallets or goods wagons

### Section 8 - Exposure controls/personal protection

#### EXPOSURE CONTROLS

None

#### **PERSONAL PROTECTION EQUIPMENT :**

Wear glove during manipulation materials lubricated with PTFE dispersion (not sintered). If contact with hot material is possible, wear heat proof cloves, arm and face shields.

#### **HYGIENE MEASURES :**

With sufficient ventilation on the working area and correct handling and processing no health risks are to be expected.



#### Section 9 - Physical and chemical properties

### INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

These are just recommended reference values. Please take the technical product specification into consideration

PROPERTY   CONDITIONS   VALUES   UNIT   REMARKS     Form   solid   Braided, grey- yellow rope   Braided, grey- yellow rope   no significant     Odeur   smell   mo significant   Solid   Solid     pH   20°C   not applicable   Solid   Solid     Melting/freezing point   +327 / -260   °C   Solid   Solid     Boiling point / range   not applicable   Solid   Solid   Solid   Solid     Flash point   not applicable   °C   Solid   Solid<
Colour   Braided, grey- yellow rope     no significant     Odeur   smell     pH   20°C   not applicable     Melting/freezing point   +327 / -260   °C     Boiling point / range   not applicable     Flash point   not applicable   °C     Evaporation rate   not applicable   °C     Ignition point   not applicable   cC     Explosion limit (lower/upper)   not applicable   vapour pressure
Colour   yellow rope     no significant   no significant     Odeur   smell     pH   20°C   not applicable     Melting/freezing point   +327 / -260   °C     Boiling point / range   not applicable     Flash point   not applicable     Evaporation rate   not applicable     Ignition point   not applicable     Explosion limit (lower/upper)   not applicable     Vapour pressure   not applicable
no significant     Odeur   smell     pH   20°C   not applicable     Melting/freezing point   +327 / -260   °C     Boiling point / range   not applicable     Flash point   not applicable     Flash point   not applicable     Ignition point   not applicable     Lignition point   not applicable     Vapour pressure   not applicable
Odeur smell   pH 20°C not applicable   Melting/freezing point +327 / -260 °C   Boiling point / range not applicable   Flash point not applicable   Flash point not applicable   C Evaporation rate not applicable   Ignition point not applicable cC   Explosion limit (lower/upper) not applicable vapour pressure
pH   20°C   not applicable     Melting/freezing point   +327 / -260   °C     Boiling point / range   not applicable     Flash point   not applicable   °C     Evaporation rate   not applicable   C     Ignition point   not applicable   cC     Explosion limit (lower/upper)   not applicable   vapour pressure
Melting/freezing point   +327 / -260   °C     Boiling point / range   not applicable     Flash point   not applicable   °C     Evaporation rate   not applicable   Implicable     Ignition point   not applicable   cC     Explosion limit (lower/upper)   not applicable   Implicable     Vapour pressure   not applicable   Implicable
Boiling point / range   not applicable     Flash point   not applicable     Flash point   not applicable     Evaporation rate   not applicable     Ignition point   not applicable     Explosion limit (lower/upper)   not applicable     Vapour pressure   not applicable
Flash point not applicable °C   Evaporation rate not applicable   Ignition point not applicable   Explosion limit (lower/upper) not applicable   Vapour pressure not applicable
Evaporation rate not applicable   Ignition point not applicable   Explosion limit (lower/upper) not applicable   Vapour pressure not applicable
Ignition pointnot applicablecCExplosion limit (lower/upper)not applicableVapour pressurenot applicable
Explosion limit (lower/upper)not applicableVapour pressurenot applicable
Vapour pressure not applicable
Density 1,6 g/cm3
Water solubility insoluble
Partition coefficient (n- not applicable
Octanol / Water)
_Self ignition temperature not applicable °C
decomposition temperature not applicable °C
Viscosity not applicable
Explosive
characteristics not applicable
Oxidising characteristics not applicable
TEST PROPERTY CONDITIONS VALUES UNIT REMARKS
hygroscopic characteristics no
3.000 -
molecular weight 50.000 polymer

### Section 10 - Stability and reactivity

### REACTIVITY

Product is not reactive under normal condition. CHEMICAL STABILITY Stable under normal conditions POSSIBILITYOF HAZARDOUS REACTIONS No hazardous reaction are expected



CONDITION TO AVOID

Temperatures above 300°C

INCOMPATIBLE MATERIALS

Do not bring into contact with: molten alkali metals, halogen compounds over 370°C HAZARDOUS DECOMPOSITION PRODUCTS

Thermal decomposition products are toxic and corrosive:

carbon monoxide

Hydrogen fluoride

Carbonyl fluoride

Tetrafluoroethylene

Hexafluoropropylene

Perfl uoroisobutene

Reduced oxygen supply can cause the development of carbon monoxide and irritant smoke.

### Section 11 - Toxicological Information

#### INFORMATION ON TOXICOLOGICAL EFFECTS

According to present experience, the material is physiologically compatible. According to present experience, the material is neither mutagenic, cancerogenic nor teratogenic.

#### a. Acute toxicity :

The LD50 (oral, rat) was estimated to be 5 g/kg. This is a very low toxicity.

#### b. skin irritation :

None

#### **c.** Irritation/damage to eyes :

Particle can damage the conjunctiva and cause irritation.

#### d. Sensitisation of the respiratory / skin :

Low health risk under normal conditions.

Contact with hot product may cause thermal burns.

#### e. Acterical count - mutagenicity :

not tested

#### f. Carcinogenity :

Not tested

#### g. Reproductive toxicity :

Not tested

**h.** Specific toxicity by one way exposure

because of the reaction inertness in a single exposure no toxic effect will be expected.

#### i. Specific toxicity by repeated exposure :

long or frequent skin contact causes no extraordinary cutaneous reaction.

effects from exposure to dusts or fumes over long periods have not been studied.

#### j. Hazard of aspiration :

low health risk under normal conditions.

fumes and/or aerosols can be generated at high temperatures, which can irritate eyes and air-passages.



Section 12 - Ecological information

#### TOXICITY No data available PERSISTENCE AND DEGRADABILITY Product is insoluble in water and not biodegradable **BIOACCUMULATIVE POTENTIAL** No data available MOBILITY IN SOIL No data available **RESULTS OF PBT AND vPvB ASSESSEMENT** see point 2 **OTHER ADVERSE EFFECTS** see point 2 **GENERAL INFORMATION:** The material has no harmful effect on the environment WATER HAZARD CLASS: o (self estimation) Oxygen required lies under the detection limit of 50 mg/l.

#### Section 13 - Disposal considerations

#### WASTE TREATMENT METHODS

PRODUCT : In accordance with the necessary technical and local regulations may be dumped with household waste without harmful effects to the environment. RECYCLING : Recycling is not possible, except for larger, virgin grade sheet material.

#### Section 14 - Transport information

#### **UN-NUMBER**

GGVS I GGVE : non-hazardous material ADR I RID : non-hazardous material

#### TRANSPORT HAZARD CLASS(ES)

None

#### **ENVIRONMENTAL HAZARDS**

GGVS/GGVE : non-hazardous material ADR I RID : non-hazardous material ICAO-TI I IATA-DGR : non-hazardous material ADN/ADNR : non-hazardous material

### SPECIAL PRECAUTIONS FOR USER

see section 6 - 8

TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL73/78 AND THE IBC CODE

Shipment and delivery only by legal and proper packing Proper shipping name : not classified

#### Section 15 - Regulatory information

# SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS I LEGISLATION SPECIFIC FOR THE PRODUCT

#### EC-REGULATIONS

Regulation (EC) Nr. 2037/2000 (Substances leading to decomposition of Ozone) Regulation (EC) Nr. 850/2004 (Persistent organic substances)



Regulation (EC) Nr. 689/2008 (export and import of hazardous chemicals) CHEMICAL SAFETY ASSESSMENT WATER HAZARD CLASS (WHC) : 0 OTHER REGULATIONS : not applicable

#### Section 16 - Other information

Changes of this version

Disclaimer :

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, storage, transportation and release and is not considered a warranty or quality specification. The responsibility for the compliance with existing law and regulations lies with the receiver of the product.